




PROFILE SPECJALNEGO PRZEZNACZENIA






PROFILE SPECJALNEGO PRZEZNACZENIA







obwód 95,35 mm




72014 0,14 kg/m obwód 50,36 mm




72015 0,29 kg/m obwód 83,24 mm




72016 0,26 kg/m obwód 81,43 mm




72017 0,24 kg/m obwód 90,82 mm




73014 0,18 kg/m obwód 93,80 mm




73002 0,30 kg/m obwód 120,86 mm




obwód 82,06 mm



73004 0,14 kg/m obwód 62,26 mm




73005 0,24 kg/m obwód 123,61 mm




73006 0,19 kg/m obwód 178,46 mm




PROFILE SPECJALNEGO PRZEZNACZENIA




73001 0,14 kg/m obwód 59,99 mm




74001 0,12 kg/m obwód 54,58 mm




74002 0,06 kg/m obwód 44,32 mm




74003 0,18 kg/m obwód 66,28 mm




74004 0,12 kg/m obwód 75,48 mm




74005 0,17 kg/m obwód 110,23 mm




71007 1,18 kg/m obwód 266,25 mm




74006 0,17 kg/m obwód 91,20 mm




91030 0,36 kg/m obwód 99,48 mm



10295 0,14 kg/m obwód 43,74 mm



20515 0,42 kg/m obwód 200,95 mm



72021 0,33 kg/m obwód 88,13 mm